

	F 80	F 100	F 120	FX 120	
	530	530	530	530	
	530	570	690	690	
	12	14	18	19	
	2	2	2	2+2	

1/2

50



0,5

(9 98°).

!

!

3



15 22 (120)

40 80°


3/8"
3/4"
360°

15 22 (120)

()

≈ 100

()



(S)

9

(RV) -


()

(KV) -

(VV) -

() -

65°C	1,5	
55°C	2,5	
42°C	4	




!

<p>2 230 1-</p>	<p>2 (+2) 230 1-</p>



3



()

		()
		RESET. + ()
		()).
		$\approx 5^\circ$

;

6 . 40° ≈ 0,25	250 . 40° ≈ 10	1 . 80° ≈ 0,1
50 . 40° ≈ 2	50 . 40° ≈ 2	5 . 80° ≈ 0,4
60 . 40° ≈ 2,5	/100 ² 50 . 40° ≈ 2	10 . 80° ≈ 0,8
75 . 40° ≈ 3		12 . 50° ≈ 0,5
200 . 40° ≈ 8	60 . 50° ≈ 3	15 . 80° ≈ 1,2
		18 . 80° ≈ 1,4

; : 100- 200 40° 100 80° ≈ 10

1. OSO 10 - 1 ()	2. 15 4 3.)) 60° ()	4. 5. 6. 7.
-------------------------	--	----------------------

;

- 1.
- 2.
- 3.
- 4.
- 5.

F	FX 120
80	100 120

;